

MARSHAL
TYRES



PASSENGER CAR

Tyre Range

COMMUNICATION GUIDE

Season



Summer



All Season



Winter

Tread Design



Asymmetric



Asymmetric



Ride Comfort



Harmony



Sport



Silent



Handling



Handling Dry



Handling Wet



Spike



Handling Ice

Technology



Silica



HA Oil-Free
Compound



Economy



Rim Protector



Inch-up



Environmentally
Friendly



CONTENTS

| | |
|--------------------------------|-----------|
| MATRAC FX MU11 | 4 |
| MATRAC XM KH35 | 6 |
| STEEL RADIAL KR11 | 8 |
| GLOBAL NETWORK | 10 |




MATRAC FX

MU11

NEW FOR 2008

The MATRAC FX MU11 is a new flagship ultra-high performance tyre from Marshal and offers an unbeatable combination of both looks and performance. Two of its most notable characteristics are its high resistance to uneven wear and low noise generation.

- Silica and carbon matrix compounding technology for enhanced wear resistance
- Directional tread pattern with four wide longitudinal grooves for maximum aquaplaning resistance
- Wide circumferential ribs ensure optimum straight-line stability and handling performance
- Centre and lateral grooves specifically designed to accelerate water drainage
- MATRAC branding engraved on centre rib



| 55 Series | | |
|------------------|------------|-----------------------------|
| Rim Size | Tyre Size | Load Index/ Speed Rating |
| 14" | 185/55R14* | 80H |
| 15" | 185/55R15* | 82V |
| | 195/55R15 | 85V |
| 16" | 205/55R15 | 88V |
| | 205/55R16* | 91V |
| | 205/55R16 | 91W |
| | 215/55R16 | 93W |
| | 225/55R16* | 95V |
| | 225/55R16 | 95W |

| 50 Series | | |
|------------------|------------|-----------------------------|
| Rim Size | Tyre Size | Load Index/ Speed Rating |
| 15" | 195/50R15* | 82H |
| | 195/50R15 | 82V |
| | 205/50R15 | 86V |
| 16" | 195/50R16* | 84H |
| | 205/50R16 | 87W |
| | 225/50R16* | 92V |
| | 225/50R16 | 92W |
| | 245/50R16 | 97W |
| 17" | 205/50R17 | 93W XL |
| | 215/50R17 | 91W |
| | 225/50R17 | 94W |

| 45 Series | | |
|------------------|------------|-----------------------------|
| Rim Size | Tyre Size | Load Index/ Speed Rating |
| 15" | 195/45R15* | 78V |
| 16" | 205/45R16 | 83W |
| | 225/45R16* | 89W |
| | 245/45R16* | 94W |
| 17" | 205/45R17 | 88W XL |
| | 215/45R17 | 87W |
| | 225/45R17 | 91W |
| | 235/45R17 | 94W |
| | 245/45R17 | 95W |
| | 255/45R17 | 98W |
| | 18" | 225/45R18 |
| 245/45R18 | | 95W |
| 255/45R18 | | 98W |

| 40 Series | | |
|------------------|-----------|-----------------------------|
| Rim Size | Tyre Size | Load Index/ Speed Rating |
| 16" | 205/40R16 | 83W XL |
| | 215/40R16 | 82W |
| 17" | 205/40R17 | 80W |
| | 215/40R17 | 83W |
| | 235/40R17 | 90W |
| | 245/40R17 | 91W |
| | 255/40R17 | 94W |
| | 275/40R17 | 98W |
| 18" | 225/40R18 | 88W |
| | 235/40R18 | 91W |
| | 245/40R18 | 93W |
| | 255/40R18 | 94W |

| 35 Series | | |
|------------------|------------|-----------------------------|
| Rim Size | Tyre Size | Load Index/ Speed Rating |
| 18" | 215/35R18 | 84W XL |
| | 265/35R18 | 93W |
| 19" | 235/35R19* | 91Y XL |
| 20" | 255/35R20 | 93W |

| 30 Series | | |
|------------------|------------|-----------------------------|
| Rim Size | Tyre Size | Load Index/ Speed Rating |
| 19" | 265/30R19* | 93Y XL |

*717 Pattern

XL = Extra Load

Speed Ratings:

H = up to 130mph (210kmh) V = up to 150mph (240kmh)


W = up to 169mph (270kmh) Y = up to 188mph (300kmh)



MATRAC XM **KH35**

The MATRAC XM KH35 features an advanced, asymmetric tread design. The new tyre has been specially engineered to perform superbly on dry, wet or lightly snow-covered roads and offers safety and comfort at sustained high speed. Now available in 69 H, V and W rated sizes.

- Asymmetric pattern design for optimum balanced performance
- Improved water drainage and traction on wet surfaces
- High tread block stiffness design giving excellent driving stability at high speed
- Shoulder blocks designed to resist uneven wear and minimize road impact noise
- High performance tread compound designed to improve wet handling and aquaplaning resistance



"Another, to thrive when the heavens opened, particularly when braking, it wasn't disgraced in the dry, and that was enough to earn our commendation."

| 65 Series | | |
|------------------|-----------|-----------------------------|
| Rim Size | Tyre Size | Load Index/ Speed Rating |
| 15" | 175/65R15 | 84H |
| | 185/65R15 | 88H |
| | 195/65R15 | 91H |
| | 195/65R15 | 91V |
| | 205/65R15 | 94W |
| | 215/65R15 | 100H |
| 16" | 215/65R16 | 98H |

| 60 Series | | |
|------------------|-----------|-----------------------------|
| Rim Size | Tyre Size | Load Index/ Speed Rating |
| 14" | 165/60R14 | 75H |
| | 175/60R14 | 79H |
| | 185/60R14 | 82H |
| 15" | 175/60R15 | 81H |
| | 185/60R15 | 84H |
| | 195/60R15 | 88H |
| | 195/60R15 | 88V |
| | 205/60R15 | 91V |
| | 205/60R15 | 91W |
| | 205/60R15 | 91W |
| 16" | 205/60R16 | 92H |
| | 215/60R16 | 95V |
| | 225/60R16 | 98V |
| | 235/60R16 | 100W |
| 17" | 225/60R17 | 99W |

| 55 Series | | |
|------------------|-----------|-----------------------------|
| Rim Size | Tyre Size | Load Index/ Speed Rating |
| 14" | 185/55R14 | 80H |
| 15" | 185/55R15 | 82H |
| | 185/55R15 | 82V |
| | 195/55R15 | 85H |
| | 195/55R15 | 85V |
| | 195/55R15 | 85V |
| 16" | 195/55R16 | 87H |
| | 205/55R16 | 91V |
| | 205/55R16 | 91W |
| | 215/55R16 | 97W |
| | 225/55R16 | 99W XL |
| | 225/55R16 | 99W |
| 17" | 225/55R17 | 97W |
| | 235/55R17 | 99W |

| 50 Series | | |
|------------------|-----------|-----------------------------|
| Rim Size | Tyre Size | Load Index/ Speed Rating |
| 15" | 195/50R15 | 82V |
| 16" | 185/50R16 | 81V |
| | 195/50R16 | 84V |
| | 205/50R16 | 87W |
| | 225/50R16 | 96W XL |
| | 225/50R16 | 96W |
| 17" | 205/50R17 | 93W XL |
| | 215/50R17 | 91W |
| | 235/50R17 | 96W |

| 45 Series | | |
|------------------|-----------|-----------------------------|
| Rim Size | Tyre Size | Load Index/ Speed Rating |
| 15" | 195/45R15 | 78V |
| 16" | 195/45R16 | 80V |
| | 205/45R16 | 83V |
| | 225/45R16 | 89W |
| 17" | 215/45R17 | 91W XL |
| | 225/45R17 | 94W XL |
| | 235/45R17 | 97W XL |
| 18" | 225/45R18 | 91W |

| 40 Series | | |
|------------------|-----------|-----------------------------|
| Rim Size | Tyre Size | Load Index/ Speed Rating |
| 17" | 205/40R17 | 84W XL |
| 18" | 225/40R18 | 92W XL |
| | 235/40R18 | 95W XL |

| 35 Series | | |
|------------------|-----------|-----------------------------|
| Rim Size | Tyre Size | Load Index/ Speed Rating |
| 18" | 255/35R18 | 94W XL |

*** NEW FOR 2008**

XL = Extra Load

Speed Ratings:

H = up to 130mph (210kmh) V = up to 150mph (240kmh)

W = up to 169mph (270kmh)

PASSENGER CARS



STEEL RADIAL KR11



The KR11 is designed to give long life, well balanced performance and a high level of driving safety in a wide range of road conditions.

- Straight circumferential grooves for good wet performance
- Extra stiff shoulder blocks for better grip and cornering power
- Optimised tread radius for even wear and capable handling
- Tread pattern designed for maximum mileage.



MARSHAL
TYRES

| 80 Series | | |
|------------------|-----------|-----------------------------|
| Rim Size | Tyre Size | Load Index/ Speed Rating |
| 10" | 145/80R10 | 69T |
| 12" | 145/80R12 | 74T |
| | 155/80R12 | 77T |
| 13" | 135/80R13 | 70T |
| | 145/80R13 | 75T |
| | 155/80R13 | 79T |
| | 165/80R13 | 83T |
| | 175/80R13 | 86T |
| 14" | 165/80R14 | 85T |
| | 175/80R14 | 88T |
| | 185/80R14 | 91T |
| | 185/80R14 | 95R RF |
| 15" | 165/80R15 | 87T |

| 70 Series | | |
|------------------|-----------|-----------------------------|
| Rim Size | Tyre Size | Load Index/ Speed Rating |
| 12" | 145/70R12 | 69T |
| | 155/70R12 | 73T |
| | 135/70R13 | 68T |
| 13" | 145/70R13 | 71T |
| | 155/70R13 | 75T |
| | 165/70R13 | 79T |
| | 165/70R13 | 83R |
| | 175/70R13 | 82T RF |
| | 185/70R13 | 86T |
| | 165/70R14 | 81T |
| 14" | 175/70R14 | 84T |
| | 185/70R14 | 88T |
| | 195/70R14 | 91T |
| | 195/70R15 | 97S |

| 65 Series | | |
|------------------|-----------|-----------------------------|
| Rim Size | Tyre Size | Load Index/ Speed Rating |
| 13" | 155/65R13 | 73T |
| | 165/65R13 | 77T |
| | 175/65R13 | 80T |
| 14" | 165/65R14 | 79T |
| | 175/65R14 | 82T |
| | 185/65R14 | 86T |
| | 195/65R14 | 89T |
| 15" | 185/65R15 | 88T |
| | 195/65R15 | 91T |
| | 205/65R15 | 99S |

| 60 Series | | |
|------------------|-----------|-----------------------------|
| Rim Size | Tyre Size | Load Index/ Speed Rating |
| 14" | 185/60R14 | 82T |

* 758 Pattern

RF = Reinforced

Speed Ratings:

S = up to 112mph (180kmh) T = up to 118mph (190kmh)

Global Network

- Corporation
- R & D Centre
- PLANT
- Branch Office

KUMHO TYRE
CANADA, INC
Vancouver

KUMHO TYRE
U.S.A., INC
Los Angeles

Mexico City ●

Panama ●

Detroit ●

Toronto ●

KUMHO TYRE AMERICA
TECHINCAL CENTRE
Akron

KUMHO TYRE EUROPE
TECHINCAL CENTRE
Birmingham

KUMHO TYRE (UK)
London

KUMHO TYRE EUROPE GmbH
Offenbach

Madrid ●

Sao Paulo ●



Graz

Milano

Istanbul

Cairo

Dubai

Johannesburg

TIANJIN PLANT

NANJING PLANT

VIETNAM PLANT

Kuala Lumpur

CHANGCHUN PLANT

**KUMHO TYRE CHINA
TECHNICAL CENTRE**
Tianjin

**KUMHO TYRE
JAPAN, INC**
Tokyo

**KUMHO TYRE
CHINA CO., INC**
Shanghai

**KUMHO TYRE
AUSTRALIA PTY., LTD**
Sydney

MARSHAL
TYRES

Your



stockist is:

www.marshaltyre.co.uk



KUMHO Tyre (UK) Ltd
6th Floor, 9 Sutton Court Road,
Sutton, Surrey SM1 4SZ, England
Tel: +44 (0) 20 8661 6112
Fax: +44 (0) 20 8661 2771